

# Checklist of Recognized Species Names of Passion Flowers

Christian Feuillet & John M. MacDougal

11400 Hennessey Dr., Beltsville, MD 20705, [bihorel@concentric.net](mailto:bihorel@concentric.net) &  
9013 Madge Ave., St. Louis, MO 63144, [threebrane@sigmaxi.org](mailto:threebrane@sigmaxi.org)

A subject that comes back regularly in the discussions in the email list PASSIFLORA-L is: "What is the correct spelling for <any species>?" We decided to address the problem with this list. It includes the name of the published names of the species we recognize, not the synonyms. There may be a few missing, but not many. We included subspecies, but not varieties, forms or hybrids. If you do not find the one you are looking for, please let us know.

<i>P. actinia</i> Hook.	<i>P. biflora</i> Lam.	<i>P. clathrata</i> Mast.	<i>P. ekmannii</i> Killip & Urban
<i>P. acuminata</i> DC.	<i>P. bilobata</i> Juss.	<i>P. clypeophylla</i> Mast.	<i>P. elegans</i> Mast.
<i>P. adenopoda</i> DC.	<i>P. bogotensis</i> Benth.	<i>P. coactilis</i> (Mast.) Killip	<i>P. elliptica</i> Gardn.
<i>P. adulterina</i> L. f.	<i>P. bomareifolia</i> Steyerl. & Maguire	<i>P. cobanensis</i> Killip	<i>P. emarginata</i> Humb. & Bonpl.
<i>P. affinis</i> Engelm.	<i>P. brachyantha</i> L. K. Escobar	<i>P. coccinea</i> Aubl.	<i>P. engleriana</i> Harms
<i>P. aimae</i> Annonay & Feuillet	<i>P. bracteosa</i> Planch. & Lind.	<i>P. colimensis</i> Mast. & Rose	<i>P. ernestii</i> Harms
<i>P. alata</i> Curtis	<i>P. brevifila</i> Killip	<i>P. colinvauxii</i> Wiggins	<i>P. erythrophylla</i> Mast.
<i>P. allantophylla</i> Mast.	<i>P. bryonioides</i> Kunth	<i>P. colombiana</i> L. K. Escobar	<i>P. escobariana</i> J. MacDougal
<i>P. alnifolia</i> Kunth	<i>P. bucaramangensis</i> Killip	<i>P. konzattiana</i> Killip	<i>P. eueidipabulum</i> Knapp & Mallet
<i>P. altebilobata</i> Hemsl.	<i>P. buchtienii</i> Killip	<i>P. coriacea</i> Juss.	<i>P. exoperculata</i> Mast.
<i>P. amabilis</i> Lem.	<i>P. caerulea</i> L.	<i>P. costaricensis</i> Killip	<i>P. exsudans</i> Zucc.
<i>P. amalocarpa</i> Barb. Rodr.	<i>P. calcicola</i> Proctor	<i>P. costata</i> Mast.	<i>P. exura</i> Feuillet
<i>P. amazonica</i> L. K. Escobar	<i>P. callacallensis</i> Skrabal & Weigend	<i>P. crassifolia</i> Killip	<i>P. fanchonae</i> Feuillet
<i>P. ambigua</i> Hemsley	<i>P. callimorpha</i> Harms	<i>P. cremastantha</i> Harms	<i>P. farneyi</i> Pessoa & Cervi
<i>P. amethystina</i> Mikan	<i>P. callistemma</i> L. K. Escobar	<i>P. crenata</i> Feuillet & Cremers	<i>P. faroana</i> Harms
<i>P. amicorum</i> Wurdack	<i>P. campanulata</i> Mast.	<i>P. crispolanata</i> L. Uribe	<i>P. fernandezii</i> L. K. Escobar
<i>P. amoena</i> L. K. Escobar	<i>P. candida</i> (P. & E.) Mast.	<i>P. cuatrecasasii</i> Killip	<i>P. ferruginea</i> Mast.
<i>P. ampullacea</i> (Mast.) Harms	<i>P. candollei</i> Tr. & Planch.	<i>P. cubensis</i> Urban	<i>P. filamentosa</i> Cav.
<i>P. anadenia</i> Urban	<i>P. canescens</i> Killip	<i>P. cumbalensis</i> (Karst.) Harms	<i>P. filipes</i> Benth.
<i>P. anastomosans</i> (Lamb.) Killip	<i>P. capparidifolia</i> Killip	<i>P. cuneata</i> Willd.	<i>P. filipes</i> Benth.
<i>P. andersonii</i> DC.	<i>P. capsularis</i> L.	<i>P. cupiformis</i> Mast.	<i>P. fimbriatistipula</i> Harms
<i>P. andina</i> Killip	<i>P. cardonae</i> Killip	<i>P. cupraea</i> L.	<i>P. flexipes</i> Tr. & Planch.
<i>P. andreana</i> Mast.	<i>P. castellanosi</i> Sacco	<i>P. cuspidifolia</i> Harms	<i>P. foetida</i> L.
<i>P. anfracta</i> Mast. & André	<i>P. catharinensis</i> Sacco	<i>P. cuzcoensis</i> Killip	<i>P. formosa</i> Ulmer
<i>P. antioquiensis</i> Karst.	<i>P. cauliflora</i> Harms.	<i>P. cyanea</i> Mast.	<i>P. frutescens</i> Ruiz & Pavón ex Killip
<i>P. apetala</i> Killip	<i>P. cerasina</i> Annonay & Feuillet	<i>P. dalechampioides</i> Killip	<i>P. fruticosa</i> Killip
<i>P. apoda</i> Harms	<i>P. ceratocarpa</i> Silveira	<i>P. danielii</i> Killip	<i>P. fuchsiiflora</i> Hemsl.
<i>P. araguensis</i> L. K. Escobar	<i>P. cerradensis</i> Sacco	<i>P. dasyadenia</i> Urban	<i>P. galbana</i> Mast.
<i>P. araujoi</i> Sacco	<i>P. chelidonea</i> Mast.	<i>P. dawei</i> Killip	<i>P. garckeii</i> Mast.
<i>P. arbelaezii</i> Uribe	<i>P. chlorina</i> L. K. Escobar	<i>P. deidamioides</i> Harms	<i>P. gardnerii</i> Mast.
<i>P. arborea</i> Spreng.	<i>P. chocoensis</i> Gerlach & Ulmer	<i>P. deltoifolia</i> Holm-Nielsen & Lawesson	<i>P. geminiflora</i> D. Don
<i>P. arida</i> Mast. & Rose	<i>P. choconiana</i> S. Wats	<i>P. dioscoreifolia</i> Killip	<i>P. gibertii</i> Brown
<i>P. aristulata</i> Mast.	<i>P. chrysophylla</i> Chodat	<i>P. discophora</i> Jørgensen & Lawesson	<i>P. gilbertiana</i> J. MacDougal
<i>P. ascidia</i> Feuillet	<i>P. chrysosepala</i> Schwerdtfeger	<i>P. dispar</i> Killip	<i>P. glaberrima</i> (Juss.) Poir.
<i>P. aurantia</i> G. Forster	<i>P. ciliata</i> Aiton	<i>P. dolichocarpa</i> Killip	<i>P. glandulosa</i> Cav.
<i>P. auriculata</i> Kunth	<i>P. cincinnata</i> Mast.	<i>P. eberhardtii</i> Gagn.	<i>P. glaucescens</i> Killip
<i>P. bahamensis</i> Britton	<i>P. cinnabarina</i> Lindl.	<i>P. edmundoi</i> Sacco	<i>P. gleasonii</i> Killip
<i>P. bahiensis</i> Kl.	<i>P. cirrhiflora</i> Juss.	<i>P. edulis</i> Sims	<i>P. goniosperma</i> Killip
<i>P. balbis</i> Feuillet	<i>P. cirrhipes</i> Killip	<i>P. eggersii</i> Harms	<i>P. gracilens</i> (Gray) Harms
<i>P. berteriana</i> Balb. ex DC.	<i>P. citrifolia</i> (Juss.) Mast.	<i>P. eglandulosa</i> J. MacDougal	<i>P. gracilis</i> Jacq. ex Link
<i>P. bicornis</i> Houston ex P. Miller	<i>P. citrina</i> J. MacDougal	<i>P. eichleriana</i> Mast.	<i>P. gracillima</i> Killip
<i>P. bicrura</i> Urban			<i>P. grandis</i> Killip
<i>P. bicuspidata</i> (Karst.) Mast.			

- P. gritensis* Karst.  
*P. guatemalensis* S. Watson  
*P. guazumifolia* Juss.  
*P. guentheri* Harms  
*P. haematostigma* Mast.  
*P. hahnii* (Fourn.) Mast.  
*P. harlingii* Holm-Nielsen  
*P. hastifolia* Killip  
*P. hatschbachii* Cervi  
*P. haughtii* Killip  
*P. helleri* Peyr.  
*P. henryi* Hemsl.  
*P. herbertiana* Lindl.  
*P. herthae* Harms  
*P. heterophylla* Lam.  
*P. hexagonocarpa* Barb. Rodr.  
*P. hirtiflora* Jørgensen & Holm-Nielsen  
*P. hollrungii* K. Schum.  
*P. holosericea* L.  
*P. holtii* Killip  
*P. huamachucoensis* L. K. Escobar  
*P. hyacinthiflora* Planch. & Lind.  
*P. hypoglauca* Harms  
*P. ichthyura* Mast.  
*P. imbeana* Sacco  
*P. incarnata* L.  
*P. indecora* Kunth  
*P. insignis* (Mast.) Hook.  
*P. involucrata* (Mast.) Gentry  
*P. ischnoclada* Harms  
*P. jamesonii* (Mast.) Bailey  
*P. jardinensis* L. K. Escobar  
*P. jatunsaichensis* Schwerdtfeger  
*P. jilekii* Wawra  
*P. jorullensis* Kunth  
*P. jugorum* W.W. Smith  
*P. juliana* J. MacDougal  
*P. kalbreyeri* Mast.  
*P. karwinskii* Mast.  
*P. kawensis* Feuillet  
*P. kermesina* Link & Otto  
*P. killipiana* Cuatrecasas  
*P. kwantungensis* Merr.  
*P. lanata* (Juss.) Poir.  
*P. lancearia* Mast.  
*P. lanceolata* (Mast.) Harms  
*P. lancifolia* Ham.  
*P. laurifolia* L.  
*P. lehmannii* Mast.  
*P. lepidota* Mast.  
*P. leptoclada* Harms  
*P. leptomischa* Harms  
*P. leptopoda* Harms  
*P. leschenaultii* DC.  
*P. ligularis* Juss.  
*P. linda* Panero  
*P. lindeniana* Tr. & Pl.  
*P. linearistipula* L. K. Escobar  
*P. lobata* (Killip) J. MacDougal  
*P. lobbii* Mast. subsp. *lobbii*  
*P. lobbii* subsp. *ayacuchoensis* Skrabal & Weigend  
*P. lobbii* subsp. *obtusiloba* (Mast.) Skrabal & Weigend  
*P. lobbii* subsp. *sanchezii* Skrabal  
*P. loefgrenii* Vitta  
*P. longipes* Juss.  
*P. longiracemosa* Ducke  
*P. lorentensis* Killip  
*P. loxensis* Killip  
*P. luetzelburgii* Harms  
*P. lutea* L.  
*P. luzmarina* Jørgensen  
*P. lyra* Planch. & Linden ex Killip  
*P. macdougaliana* Knapp & Mallet  
*P. macfadyenii* C.D. Adams  
*P. macrocarpa* Mast.  
*P. macrophylla* Spruce ex Mast.  
*P. macropoda* Killip  
*P. maestrensis* Duharte  
*P. magdalenae* Tr. & Planch.  
*P. magnifica* L. K. Escobar  
*P. maguirei* Killip  
*P. malacophylla* Mast.  
*P. maliformis* L.  
*P. malletii* J. MacDougal  
*P. mandonii* (Mast.) Killip  
*P. manicata* (Juss.) Pers.  
*P. mansoi* (Mart.) Mast.  
*P. mapiriensis* Harms  
*P. margaritae* Sacco  
*P. marginata* Mast.  
*P. mathewsii* (Mast.) Killip  
*P. mayarum* J. MacDougal  
*P. mcvaughiana* J. MacDougal  
*P. membranacea* Benth.  
*P. mendoncae* Harms  
*P. menispermea* Tr. & Planch.  
*P. menispermifolia* Kunth  
*P. mexicana* Juss.  
*P. micrantha* Killip  
*P. micropetala* Mast.  
*P. microstipula* L. Gilbert & J. MacDougal  
*P. miersii* Mast.  
*P. misera* Kunth  
*P. mixta* L. f.  
*P. mollis* Kunth  
*P. mollissima* (Kunth) Bailey  
*P. moluccana* Reinwardt ex Bl.  
*P. monadelpha* Jørgensen & Holm-Nielsen  
*P. montana* Holm-Nielsen & Lawesson  
*P. mooreana* Hook.  
*P. morifolia* Mast.  
*P. moritziana* Planch.  
*P. mucronata* Lam.  
*P. multiflora* L.  
*P. multiformis* Jacq.  
*P. murucuja* L.  
*P. mutisii* Killip  
*P. nelsonii* Mast. & Rose  
*P. nephrodes* Mast.  
*P. nigradenia* Rusby  
*P. nipensis* Britton  
*P. nitida* Kunth  
*P. nubicola* J. MacDougal  
*P. nuriensis* Steyererm.  
*P. oaxacensis* J. MacDougal  
*P. oblongata* Sw.  
*P. obovata* Killip  
*P. obovata* Killip  
*P. obtusifolia* Sessé & Mociño  
*P. odontophylla* Harms  
*P. oerstedii* Mast.  
*P. orbiculata* Cav.  
*P. organensis* Gardn.  
*P. ornithoura* Mast.  
*P. ovalis* Vell.  
*P. ovata* Martin ex DC.  
*P. pachyantha* Killip  
*P. pacifica* L. K. Escobar  
*P. palenquensis* Holm-Nielsen & Lawesson  
*P. pallens* Poepp.  
*P. pallida* L.  
*P. palmatisecta* Mast.  
*P. palmeri* Rose  
*P. pamplonensis* Planch. & Lind.  
*P. panamensis* Killip  
*P. papilio* Li  
*P. parritae* (Mast.) Bailey  
*P. parvifolia* (DC.) Harms  
*P. pascoensis* L. K. Escobar  
*P. pavonis* Mast.  
*P. pectinata* Griseb.  
*P. pedata* L.  
*P. peduncularis* Cav.  
*P. pendens* J. MacDougal  
*P. penduliflora* Bert. ex DC.  
*P. pennellii* Killip  
*P. pentagona* Mast.  
*P. perakensis* Hall. f.  
*P. perfoliata* L.  
*P. pergrandis* Holm-Nielsen & Lawesson  
*P. perpera* Mast.  
*P. phaeocaula* Killip  
*P. phoenicea* Lindl.  
*P. picturata* Ker  
*P. pilosa* R. & P. ex DC. subsp. *pilosa*  
*P. pilosa* subsp. *dimidiata* J. MacDougal  
*P. pilosicorona* Sacco  
*P. pilosissima* Killip  
*P. pinnatistipula* Cav.  
*P. pittieri* Mast.  
*P. platyloba* Killip  
*P. plumosa* Feuillet & Cremers  
*P. podadenia* Killip  
*P. podlechii* Skrabal & Weigend  
*P. poeppigii* Mast.  
*P. pohlii* Mast.  
*P. popayensis* Killip  
*P. popenovii* Killip  
*P. porphyretica* Mast.  
*P. praecuta* Mast.  
*P. prolata* Mast.  
*P. pterocarpa* J. MacDougal  
*P. punctata* L.  
*P. purdiei* Killip  
*P. pusilla* J. MacDougal  
*P. putumayensis* Killip  
*P. pyrrhantha* Harms  
*P. quadrangularis* L.  
*P. quadriflora* Vanderplank  
*P. quadriflora* Killip  
*P. quadriglandulosa* Rodschied  
*P. quelchii* N. E. Br.  
*P. quercetorum* Killip  
*P. quindiensis* Killip  
*P. racemosa* Brot.  
*P. raimondii* Killip  
*P. recurva* Mast.  
*P. reflexiflora* Cav.  
*P. reitzii* Sacco  
*P. resticulata* Mast. & André  
*P. retipetala* Mast.  
*P. rhamnifolia* Mast.  
*P. riparia* Mart.  
*P. rojasii* Hassl.  
*P. roseorum* Killip  
*P. rotundifolia* L.  
*P. rovirosae* Killip  
*P. rubra* L.  
*P. rubrotincta* Killip  
*P. rufostipulata* Feuillet

- P. rugosa* (Mast.) Tr. & Planch.  
*P. rugosissima* Killip  
*P. runa* L. K. Escobar  
*P. rusbyi* Mast.  
*P. saccoi* Cervi  
*P. sagasteguii* Skrabal & Weigend  
*P. sanchezii* Skrabal & Weigend  
*P. sanctae-barbarae* Holm-Nielsen & Jørgensen  
*P. sanctae-mariae* J. MacDougal  
*P. sanguinolenta* Mast.  
*P. santiagana* Borhidi  
*P. saulensis* Feuillet  
*P. saxicola* Gontsch.  
*P. schaferi* Britton  
*P. schlimiana* Tr. & Planch.  
*P. sclerophylla* Harms  
*P. securiclata* Mast.  
*P. seemannii* Griseb.  
*P. semiciliosa* Planch. & Lind.  
*P. serratifolia* L.  
*P. serratodigitata* L.  
*P. serrulata* Jacq.  
*P. setacea* DC.  
*P. setulosa* Killip  
*P. sexflora* Juss.  
*P. siamica* Craib  
*P. sicyoides* Schlecht. & Cham.  
*P. sidifolia* Roemer  
*P. sierrae* L.K. Escobar  
*P. skiantha* Huber  
*P. smilacifolia* J. MacDougal  
*P. smithii* Killip  
*P. sodiroi* Harms  
*P. solomonii* L.K. Escobar  
*P. speciosa* Gardner  
*P. spectabilis* Killip  
*P. sphaerocarpa* Tr. & Pl.  
*P. spicata* Mast.  
*P. spinosa* (P. & E.) Mast.  
*P. sprucei* Mast.  
*P. standleyi* Killip  
*P. stellata* Moritz ex Killip  
*P. stenoloba* Urban  
*P. stenosepala* Killip  
*P. stipulata* Aubl.  
*P. suberosa* L.  
*P. subpeltata* Ortega  
*P. subpurpurea* Jørgensen & Holm-Nielsen  
*P. subrotunda* Mast.  
*P. sumatrana* Bl.  
*P. tacsonioides* Griseb.  
*P. talamancensis* Killip  
*P. tarapotina* Harms  
*P. tarminiana* Coppens & V. Barney  
*P. tatei* Killip & Rusby  
*P. telesiphe* Knapp & Mallet  
*P. tenella* Killip  
*P. tenerifensis* L. K. Escobar  
*P. tenuifila* Killip  
*P. tenuiloba* Engelm.  
*P. tesserula* Skrabal & Weigend  
*P. tessmannii* Harms  
*P. tholozanii* Sacco  
*P. tica* Gómez-Laurito & L. D. Gómez  
*P. tiliaefolia* L.  
*P. tina* Boender & Ulmer  
*P. tolimana* Harms  
*P. tonkinensis* de Wilde  
*P. trialata* Feuillet & J. MacDougal  
*P. trianae* Killip  
*P. tribolophylla* Harms  
*P. trichopoda* J. MacDougal  
*P. tricuspis* Mast.  
*P. trifasciata* Lemaire  
*P. trifoliata* Cav.  
*P. triloba* R. & P.  
*P. trinervia* (Juss.) Poir.  
*P. trinifolia* Mast.  
*P. trintae* Sacco  
*P. tripartita* (Juss.) Poir.  
*P. trisecta* Mast.  
*P. trisulca* Mast.  
*P. trochlearis* Jørgensen  
*P. truncata* Regel  
*P. truxillensis* Planch. & Lind.  
*P. tryphostematoides* Harms  
*P. tuberosa* Jacq.  
*P. tucumanensis* Hook.  
*P. tulae* Urban  
*P. umbilicata* (Griseb.) Harms  
*P. uncinata* J. MacDougal  
*P. urbaniana* Killip  
*P. uribei* L. K. Escobar  
*P. urnaeifolia* Rusby  
*P. ursina* Killip & Cuatrec.  
*P. variolata* Poepp. & Endl.  
*P. vellozii* Gardner  
*P. venosa* Rusby  
*P. vespertilio* L.  
*P. vestita* Killip  
*P. villosa* Vell.  
*P. viridescens* L. K. Escobar  
*P. viridiflora* Cav.  
*P. vitifolia* Kunth  
*P. watsoniana* Mast.  
*P. weberbaueri* Harms  
*P. weigendii* Ulmer  
*P. wilsonii* Hemsl.  
*P. xiikzodz* subsp. *itzensis* J. MacDougal  
*P. xiikzodz* J. MacDougal subsp. *xiikzodz*  
*P. yucatanensis* Killip  
*P. zamorana* Killip




## PSI Now Accepts Credit Cards

Passiflora Society International has signed with PayPal, owned by eBay, to accept payment for new and renewing members by credit card.

If you visit the Society website ([www.passiflora.org](http://www.passiflora.org)) you can choose one of five options:

- Join by mail
- Renew by mail
- Join by credit card
- Renew by credit card
- Donate by credit card

Many people, and many new members, are already using this fast and convenient option. This new option will be especially useful to international members because sending cash has always been a problem.



Solution for Crossword Puzzle